

Hi Spot 120 Superia Extralife

HS120 SU 240V 100W 10° E27 SV1

0021146



Range Features

-

UV STOP



PRODUCT OVERVIEW

Lamp finish	Aluminium
Lamp shape	PAR 38
Colour temperature (K)	2900
CRI (Ra)	100
Dimmable	Yes
EAN code	5410288211466
Energy class	D
Equivalent watt (W)	150
Cap/Base	E27
Beam angle(°)	10
Type	Hi-Spot 120 Superia
Watt (Nominal) (W)	100
Light colour	829 Warm white
Ordering number	0021146
Average life (Rated) (h)	3000
Luminous flux (Rated) (lm)	1110
Technology	Halogen
Voltage (V)	240

DATA TABLE

General data

Average life (Nominal) (h)	3000
Control gear required	No
Lamp finish	Aluminium
Lamp shape	PAR 38
Dimmable	Yes

Hi Spot 120 Superia Extralife

HS120 SU 240V 100W 10° E27 SV1

0021146

EAN code	5410288211466
Energy class	D
Energy saving lamp	No
Fixture rating	Open
General application	Retail; Hospitality; Museums; Consumer; Residential;
IEC Reference	IEC 60357
IEC Reference 2	IEC 60432-2
IEC Reference 3	IEC 60630
Intended purpose	General lighting
Cap/Base	E27
Lamp mercury content (mg)	0
Type	Hi-Spot 120 Superia
No. of switching cycles before premature failure (min)	>12000
Ordering number	0021146
Product name	HS120 SU 240V 100W 10° E27 SV1
Average life (Rated) (h)	3000
Special purpose lamp	No
Starting time (max) (s)	0
Technology	Halogen
Transformer required	no
Sales pack quantity	15
Warm-up time to 60% of full light (max) (s)	Instant Full Light
E-number SE	8355915
E-number FI	4749338

Optical data

Colour temperature (K)	2900
CRI (Ra)	100
Beam angle(°)	10
Light colour	829 Warm white
Lumen maintenance at end of nominal life (%)	80
Luminous flux (Nominal) (lm)	1110
Peak intensity (cd)	10000
Luminous flux (Rated) (lm)	1110
Suitable for accent lighting	Yes
Beam angle (Rated) (°)	10

Hi Spot 120 Superia Extralife

HS120 SU 240V 100W 10° E27 SV1

0021146


Electrical data

Equivalent watt (W)	150
kWh per 1000 hours burning time	100
Lamp power factor	1
Watt (Nominal) (W)	100
Watt (Rated) (W)	100
Voltage (V)	240

Physical data

Max. Lamp Diameter (mm) - D	122
Lamp Length (mm) - C/L	136
Single packaging type	Box/Sleeve
Weight (kg)	0.31
Lamp dimension equal to filament lamp equivalent	Yes
Designed for optimum use in non standard conditions	No
Outer package dimensions (L x W x H) (cm)	62.00 x 38.00 x 17.00
Single package dimensions (L x W x H) (cm)	14.00 x 11.40 x 11.40

TECHNICAL DRAWINGS



Hi Spot 120 Superia Extralife

HS120 SU 240V 100W 10° E27 SV1

0021146

